







BEST MARKET PRICE



OUTSTANDING QUALITY

IGT Lighting was established with the express intent to bring superior quality, advanced LED lighting, green technology, with R & D capabilities to your customers. IGT is a continuation of its founder's philosophy that by providing the best product and delivering excellent customer service we can build lasting relationships while optimizing our customers lighting needs. We are committed to providing competitive prices that will decrease energy consumption, and lower the cost of energy bills, and enhance the user's quality of life.

IGT Lighting is building strong relations with diverse global industries. We strive to be effective, efficient, while delivering integrity in everything we do. We are excited to be in an industry where we can help cut energy consumption by 80%! Our environmental friendly, green technology is manufactured with no toxic chemicals and will outlast the unit it replaces five fold.





INDOOR

PANEL LINEAR EDGE PANEL DOWN LIGHT TUBE HIGH BAY

OUTDOOR


SHOEBOX
CANOPY
FLOOD
WALL PACK
STREET LIGHT
EXPLOSION-PROOF

SPECIAL LIGHT

ROAD STUD

ACCESSORIES

EMERGENCY DRIVER
WORKLIGHT
LED MOUNT
MOTION SENSOR
PHOTOCELL



ART GALLERY
MUSEUM
HOME
SCHOOL

OFFICE HOTEL RESTAURANT

RETAIL STORE

PARKING LOT
HOSPITAL
COMMERCIAL BUILDING
SHOPPING MALL



2x2

40W 5200LM 4000K/5000K

100-277V

23.7 x 23.7 x 1.9 (IN)

50,000 HOURS



36W 3600LM

> 4000K/5000K 100-277V

47.7 x 11.7 x 1.9 (IN)

50,000 HOURS

2x4

45W

5625LM

4000K/5000K

100-277V

47.7 x 47.7 x 1.9 (IN)

50,000 HOURS



PREMIUM 2x2

40W 5280LM

4000K/5000K

100-277V

23.7 x 23.7 x 0.4 (IN)

50,000 HOURS



45W 70W 6165LM 9240LM

4000K/5000K

100-277V

47.7 x 47.7 x 0.4 (IN)

50,000 HOURS



LINEAR FDGE PANEL

6500LM

2700K/3000K/4000K/5000K

40W

100-277V

48.0 X 6.1 X 2.6 (IN)

25,000 HOURS



4 INCL

8W

550LM

3000K/4000K/5000K

120V

5.12 X 3.4 (IN)

50,000 HOURS



6 INCH

12W 900LM

3000K/4000K/5000K

120V

7.5 X 3.5 (IN)

50,000 HOURS




HOME SCHOOL CHURCH OFFICE HOTEL GARAGE MALL MARKET TUNNEL
RETAIL STORE
PARKING LOT
HALLWAY





BALLAST COMPATIBLE

10W
1100LM
5000K
100-277V
2 (FT)
50,000 HOURS



;
12W
1800LM
5000K
100-277V
4 (FT)
50,000 HOURS





3C+DIRECT WIRE

0)				
15W	18W			
1800LM	2250LM			
3000K/4000K/5000				
120V				
4 (FT)				
50,000 HOURS				

T5 GLASS

0.0.7 / 0.000000000000000000000000000000
25W
3500LM
4000K/5000K
120-277V
4 (FT)
50,000 HOURS





18

36W				
4680LM				
5000K				
100-277V				
8 (FT)				
50,000 HOURS				

T8

40W
4400LM
4000K/5000K
120-277V
8 (FT)
50,000 HOURS



WAREHOUSE
MANUFACTURING FACILITY
CONVENTION CENTER
SPORTING ARENA

COLD STORAGE
SECURITY LIGHTING
ROOF TOP LIGHTING
CONSTRUCTION SITE





C HIGH BAY

100W	150W	200W			
14000LM	19500LM	28000LM			
5000K					
100-277V					
18.1 X 18.1 X 7.1 (IN)					

50,000 HOURS


LC HIGH BAY (HIGH VOLT.)

100W	200W			
14000LM 28000LM				
5000K				
180-528V				
18.1 X 18.	1 X 7.1 (IN)			
50,000	HOURS			



INFAR HIGH BAY


60W	80W	100W	150W	200W	
8340LM 11120LM 13900LM 20850LM 27800LM					
5000K					
100-277V					
21.9/37.6/45.4 X 7.5 X 4.6 (IN)					
50,000 HOURS					



GAS STATION
CONVENIENCE STORE
BANK
PHARMACY DRIVE THRU

PARKING LOT
AUTO DEALERSHIP
APARTMENT
SHOPPING MALL

SPORTING FIELD
EDUCATIONAL FACILITY
ROADWAY
PARK




SHOFBOX

100W	150W		100W 150		200W
15000LM	22500LM		30000LM		
5000K					
100-277V					
17.9 X 11.7 X 2.3 (IN) 18.9 X 12.6 X 2.5 (IN)					
50,000 HOURS					



SHOEBOX

150W	300W			
19500LM 39000LM				
5000K				
17.3 X 12.2 X 3.3 (IN) 23.1 X 12.6 X 3.3 (IN)				
50,000 HOURS				



STADIUM
BUILDING EXTERIOR
AMUSEMENT PARK
AIRPORT

BRIDGE
TUNNEL
BUILDING ENTRANCE
STAIRWAY

WALKWAY
LOADING DOCK
RECREATIONAL AREA
SCHOOL



CANOPY

130W

13000-14300LM

5000K

120-277V

15 X 15 X 3.1 (IN)

50,000 HOURS



FLOOD

20W	30W	50W	100W	150W	200W	
2200LM	3300LM	5500LM	11000LM	16500LM	22000LM	
5000K						
100-277V						
ALUMINUM + GLASS						
50.000 HOURS						



TUNNEL STAIRWAY WALKWAY BUILDING ENTRANCE LOADING DOCK APARTMENT BUILDING INSTITUTION SCHOOL UNDERPASS





WALL PACK

40W	60W	80W	100W	120W
4400LM	6600LM	8800LM	11000LM	13200LM
5000K				
100-277V				
14.2 X 9.3 X 7.4 (IN) 16.5 X 9.3 X 9.1 (IN)				
50,000 HOURS				



MINI WALL PACK

15W	25W	
1350LM	3000LM	
5000K		
120V		
12.9 x 7.8 x 5.5 (IN)		
50,000 HOURS		



STREET FREEWAY ROAD AMUSEMENT PARK PARK





STREET

40W 60W 100W		
4100LM 5850LM		9400LM
4000K		
100-240V		
24.6 X 11.4 X 4.1 (IN)		
50,000 HOURS		



60W	80W	100W	
5600LM	7600LM	9100LM	
4000K			
100-240V			
24.4 X 11.6 X 6.0 (IN)			
50,000 HOURS			





100W	150W	180W	
9900LM	14100LM	16700LM	
4000K			
100-240V			
30.7 X 12.8 X 4.1 (IN)			
50,000 HOURS			




STREET

100W	150W	200W	
14000LM	21000LM 28000		
5000K			
100-277V			
19.9 X 10.2 X 3.7 25.6 X 13.0 X 4.1 (IN)			
50,000 HOURS			




SIREEL

100W	100W 120W		180W		
 9600LM	10025LM	14100LM	17000LM		
	4000K				
100-240V					
32.5 X 14.2 X 5.9 (IN)					
50,000 HOURS					



HIGH CEILING GYMNASIUM SHOPPING MALL INDUSTRIAL/HAZARDOUS AREA CONSTRUCTION SITE STREET LIGHT







ETLED

30W 2400LM 5700K LOWER THAN 240V IP66 30,000-50,000 HOURS

EXFLED

15W	25W	
1200LM	2000LM	
5700K		
220V		
IP66		
30,000-50,000 HOURS		

EXHI-30

30W 2400LM 5700K LOWER THAN 240V IP66 30,000-50,000 HOURS



EXFLED-250

100W	120W	150W	165W	200W	250W
8000LM	9600LM	12000LM	13200LM	16000LM	20000LM
.	5700K				
LOWER THAN 240V					
IP66					
	30,000-50,000 HOURS				



HBIF

80W	100W	
6400LM	8000LM	
5700K		
LOWER THAN 240V		
IP65		
30,000-50,000 HOURS		



VI ED-04

2	t.	m		5.	
100W	120W	150W	165W	200W	250W
8000LM	9600LM	12000LM	13200LM	16000LM	20000LM
	5700K				
LOWER THAN 240V					
IP66					
	30,000-50,000 HOURS				




EXLED-0

30W	50W	
2400LM	4000LM	
5700K		
LOWER THAN 240V		
IP66		
30,000-50,000 HOURS		



HIGH CEILING GYMNASIUM SHOPPING MALL INDUSTRIAL/HAZARDOUS AREA CONSTRUCTION SITE STREET LIGHT





EXLED-44

100W	120W	150W	165W	200W	250W	
8000LM	9600LM	12000LM	13200LM	16000LM	20000LM	
5700K						
LOWER THAN 240V						
IP66						

30,000-50,000 HOURS

NSFL

5700K		
220V		
IP66		
30,000-50,000 HOURS		



EXLED-A03

7				
50W	60W	80W	100W	120W
4000LM	4800LM	6400LM	8000LM	9600LM
5700K				
LOWER THAN 240V				
IP66				
30,000-50,000 HOURS				



NSHI-3

30W		
2400LM		
5700K		
LOWER THAN 240V		
IP66		
30,000-50,000 HOURS		





EXLED-B03

50W	60W	80W	100W	120W	
4000LM	4800LM	6400LM	8000LM	9600LM	
5700K					
LOWER THAN 240V					
IP66					
30,000-50,000 HOURS					

NSRE

	0. 90	
15W	25W	
1200LM	2000LM	
5700K		
220V		
IP66		
30,000-50,000 HOURS		
-		



HIGH CEILING GYMNASIUM SHOPPING MALL INDUSTRIAL/HAZARDOUS AREA
CONSTRUCTION SITE
STREET LIGHT





EXLED-S03

50W	60W	80W	100W	120W
4000LM	4800LM	6400LM	8000LM	9600LM
5700K				

LOWER THAN 240V

IP66

30,000-50,000 HOURS

EXLED-SS03

	105	
20W	30W	
1600LM 2400LM		
5700K		
LOWER THAN 240V		
IP66		

30,000-50,000 HOURS



NSLED-03

30W	50W	65W	80W	100W
2400LM	4000LM	5200LM	6400LM	8000LM

LOWER THAN 240V

5700K

IP66

30,000-50,000 HOURS



RIF

80W	100W	120W		
6400LM	8000LM	9600LM		
5700K				
LOWER THAN 240V				
IP66				
30,000-50,000 HOURS				





EXIED-B03

30W	50W	65W	80W	100W
2400LM	4000LM	5200LM	6400LM	8000LM
5700K				

LOWER THAN 240V

IP66

30,000-50,000 HOURS

VELED


15W	25W	
1200LM	2000LM	
5700K		
220V		
IP66		
30,000-50,000 HOURS		

SOLAR **ROAD STUD**

SPECIAL LIGHTS



No separate power supply, via solar shell of the product itself, in the light of the sun into electrical energy conversion. As the energy stored in the battery, LED lights illuminate the lamp itself solar power system.









BUILDING ENTRANCE TUNNEL











VISIBILITY 300FT +

OMNI-DIRECTION

SUPER LUMINOSITY LED

LOADS OVER TONTO

4.9 X H1.8 (IN)

1 CHARGE, MAX 10DAYS

VISIBILITY 300FT +

DRIVING DIRECTION

SUPER LUMINOSITY LED X 2EA

POLYCARBONATE

D3.0 X H1.5 (IN)

BATTERY LiFePO4, 3.2V







VISIBILITY 300FT +

OMNI-DIRECTION

SUPER LUMINOSITY LED

LOADS OVER TONTO

4.9 X H1.8 (IN)

1 CHARGE, MAX 10DAYS



ROAD STUD DELINEATOR

VISIBILITY 300FT +

POLYCARBONATE + ABS

SUPER LUMINOSITY LED

WHITE/YELLOW

D3.9 X H4.5 (IN)

FULL CHARGE, OVER 4-5DAYS











VISIBILITY 300FT +

POLYCARBONATE + ABS

SUPER LUMINOSITY LED

WHITE/YELLOW/BLUE/GREEN/RED

D3.9 X H1.8 (IN)

FULL CHARGE, OVER 4-5DAYS

VISIBILITY 300FT +

CUSTOMIZED LIGHTING DIRECTION

SUPER LUMINOSITY LED

D3.0 X H1.5 (IN)





8W	12W	18W	
(INPUT) AC 100-277V			
(OUTPUT) 12-48V DC			
50-60Hz			

MAX. CONNECTED LOAD 0.75A



STEP1	STEP2		
1000LM	M 580LM		
8HOURS	16HOURS		
5700K			
100-240V			
11.6 X 2.3 (IN)			











BRACKETS - SHOEBOX

EASY TO INSTALL

ADJUSTABLE

DARK GREY

EASY TO INSTALL

DURABLE & PRACTICAL

DARK BRONZE

8.7 X 3.8 X 4.1 (IN)









DETECTION ZONE 98FT X 49FT


150°-WALL / 360°-CEILING

120-277V

3.9 X 1.7 X 1.0 (IN)

50,000 HOURS





120-277V

POWER CONSUMPTION 1.2W

2.1[L] X 1.1[W] X 1.7[H] (IN)

APPROX. 0.1LBS

50,000 HOURS

220-240V

POWER CONSUMPTION 1.5W

3.3[DIAMETER] X 2.6 (IN)

APPROX. 0.2LBS

50,000 HOURS

THANK YOU.



