

LM-79 Report for IGT Linear Edge Panel

CT15-086084

IGT Lighting Inc.
3755 Lincoln St. Suite B, Riverside, CA 92503
2015.08.06
2015.08.24

Model Number IGTLEP-S40

IES LM-79-08 (Electrical and Photometric Measurements of Solid-State Lighting Products)

CONFIRM	Reviewed By 	Test Engineer : Jing Sung Park 
---------	---	--




TEST RESULT

CT15-086084

Test Category		Test	Result	Test Environment
Total Luminous Flux	lm	IES LM-79-08	5093.3	(25 ± 1) °C, (40 ± 5) % R.H.
Electrical Power	W		43.82	
Luminous Efficacy	lm/W		116.28	
Zonal Lumens	%		0 to 30 22.1 0 to 40 36.4 0 to 60 65.8 0 to 90 94.0 40 to 90 57.6 60 to 90 28.2 90 to 180 6.0 60 to 80 21.3 70 to 80 9.3	

► Product Picture




IGTLEP-S40

TEST RESULT

CT15-086084

IGTLEP-S60


► Isocandela Contour Plot



TEST RESULT

CT15-086084

► Zonal Flux Graph



TEST RESULT

CT15-086084

► Polar Plot(cd)

